

US8132961B1-Flow plug with length-to-hole size




FIG. 1







FIG. 2

## US7654154B2-Conditioning Orifice Plate With Pipe



## US7621670B1-Unbalanced-flow, fluid-mixing plug



# US7406880B2-AVERAGING ORIFICE PRIMARY FLOW ELEMENT




FIG. 1A








FIG. 1


# US7051765B1-Balanced orifice plate





# US6655207B1-Flow rate module and integrated flow




# US6463810B1-Method and device for bi-directional




## US6164142A-Air flow measurement device





# US5392815A-Gradational tube bundle flow conditioner




**FIG.\_6**



**FIG.\_7**



## US5357972A-Disposable pneumotachograph flowmeter



## US5295397A-Slotted orifice flowmeter










FIG.3




# US4961344A-Multiple tube flowmeter



# US4154100A-Method and apparatus for stabilizing



# US3838598A-CAPILLARY FLOW METER



CN208567986U-Flow meter





图2




图3

CN208043141U-Wedge differential pressure flow meter




图1

CN201476820U-Balanced-type nozzle flow meter




图 2

## CN109596182A-Integrated differential pressure-type




图1




图3

### CN109443458A-Concave arc-shaped double-flow-direct





图2

# 7管道整流器結構專利

## GB2263563A-Flow straightener in the air induction



## US4080997-Flow straightener for a liquid flow

Fig. 2




Fig. 1

